

Available and in-stock now for immediate delivery -- Bromfed® DM Cough Syrup by Wockhardt

FDA-Approved

Bromfed® DM
Cough Syrup

(Brompheniramine 2 mg, Dextromethorphan 10 mg,
Pseudoephedrine 30 mg, and Alcohol 0.95%)

Wockhardt Pediatric Care is pleased to announce the availability of Bromfed® DM Cough Syrup on the Texas Medicaid preferred drug list. Bromfed DM is the ONLY FDA-approved non-narcotic antitussive/decongestant/antihistamine available for the relief of cough and upper respiratory symptoms, including nasal congestion, associated with allergy or the common cold.

In recent months, FDA has issued multiple warning letters and a permanent injunction removing unapproved prescription cough cold products from market. As a result, other manufacturers have voluntarily withdrawn unapproved prescription products from the market. Rest assured that Bromfed DM is FDA-approved and continues to be in-stock now. Since Bromfed DM is the ONLY FDA-approved prescription combination brompheniramine, pseudoephedrine, dextromethorphan, there is no FDA approved therapeutic substitute!

The active ingredients include:

- Brompheniramine Maleate, USP 2 mg
- Pseudoephedrine Hydrochloride, USP 30 mg
- Dextromethorphan Hydrobromide, USP 10 mg
- Alcohol 0.95% v/v



Order Bromfed® DM Cough Syrup today!

Important Information

Bromfed DM Cough Syrup is indicated for relief of cough and upper respiratory symptoms, including nasal congestion, associated with allergy or the common cold. Bromfed DM Cough Syrup should not be used in the newborn, in premature infants, in nursing mothers, or in patients with severe hypertension or severe coronary artery disease. Bromfed DM Cough Syrup should not be used in patients receiving MAO inhibitors. Antihistamines should not be used to treat lower respiratory tract conditions including asthma.

Especially in infants and small children, antihistamine in overdose may cause hallucinations, convulsions, and death. Antihistamines may diminish mental alertness. In the young child, they may produce excitation.

The most common adverse events to Bromfed DM Cough Syrup are: sedation, dryness of mouth, nose and throat; thickening of bronchial secretions; and dizziness.

[Please click here for full Prescribing information.](#)

Ordering information

The following item(s) are available for ordering.

Description	Strength	Size	Form	NDC #	Cardinal Health	ABC	McKesson
Bromfed® DM	2-30-10 mg / 5 mL	473 mL	Liquid	60432-0837-16	4118006	803122	1446574