

Are You Ready?

You Can Prescribe Caphosol[®] (Supersaturated Calcium Phosphate Rinse) for Optimal Results!


- Start Caphosol on day 1 of cancer therapy
- Prescribe a new level of convenience with 2 dispensing pack sizes
- Visit www.caphosol.com or call 1-800-833-3533 for reimbursement and educational resources for you and your patients



For Optimal Results When Treating Oral Mucositis...



Start Caphosol® on Day 1 of Cancer Therapy

Intervene Early to Manage the Cascade of Downstream Effects From Oral Mucositis




Adapted from Sonis, 2004.¹

Starting From Day 1 of Cancer Therapy, Caphosol Safely Manages Oral Mucositis



Treatment Compliance With Caphosol During COMFORT³



Recommended dosing is 4 doses per day from the onset of cancer treatment, up to 10 times a day if pain from mucositis is experienced

*A prospective, open-label, nonrandomized study of patients at risk for oral mucositis (OM) designed to observe the impact of early intervention with Caphosol on OM. Caphosol was started when chemotherapy and/or radiation was initiated and was continued throughout the course of therapy.

More Prescribing Options to Address Your Patients' Treatment Needs



Caphosol is a supersaturated calcium phosphate rinse. Each box comes with individual ampules of:

- Phosphate solution (Caphosol A)
- Calcium solution (Caphosol B)

(1 dose = 2 ampules, each 15mL, mixed together)

Now 2 Convenient Dispensing Packs



1 Week's Supply

A 30-dose weekly dispensing pack for short courses of therapy.

1 box, each containing:

- 30 15mL ampules of Caphosol A
- 30 15mL ampules of Caphosol B

(total available doses = 30 x 30mL = 900mL)



1 Month's Supply

A 120-dose monthly dispensing pack for longer courses of therapy and chronic conditions.

4 boxes, each containing:

- 30 15mL ampules of Caphosol A
- 30 15mL ampules of Caphosol B

(total available doses = 120 x 30mL = 3600mL)

Prescribing for Optimal Results is Simple



■ For short courses of high-dose chemotherapy and/or radiotherapy resulting in short duration of oral mucositis



■ Sig: Use Q.I.D. or PRN⁴
7 day's supply =
1, 30-dose dispensing pack, 900mL
Refills x 3



■ For long courses of high-dose chemotherapy and/or radiotherapy resulting in prolonged duration of oral mucositis



■ Sig: Use Q.I.D. or PRN⁴
30 day's supply =
1, 120-dose dispensing pack, 3600mL
Refills x 3



■ For treatment of dry mouth (xerostomia)



■ Sig: Use 2–10 times per day or as instructed by physician⁴
30 day's supply =
1, 120-dose dispensing pack, 3600mL
Refill until resolved

Optimize Results When Prescribing Caphosol®

Go to www.caphosol.com for Reimbursement Support and Educational Resources

www.caphosol.com offers a web-based support and education center for professionals, patients, and caregivers.

Important Reimbursement and Coding Information

For instructions regarding claims submission and coding, please contact our reimbursement support group (AccessMED):

Telephone: 1-888-837-4397
 Email: EUSAPharma@accessmed.com
 Toll-free fax: 1-866-287-3036
 Hours of operation: 8AM to 5PM CST
 Or visit www.caphosol.com
 EUSA Pharma toll Free: 1-800-833-3533



30-Dose Weekly Dispensing Pack
 HCPCS code: A9155-900mL
 Item number: 0-8489-8000-1



120-Dose Monthly Dispensing Pack
 HCPCS code: A9155-3600mL
 Item number: 0-8489-8000-4

Ordering information

The following item(s) are available for ordering from your Cardinal Health Customer Service team.

Description	Dosage	Size	Form	Item #	CIN
Caphosol® (supersaturated calcium phosphate rinse) 900 mL	30-Dose Weekly Pack	30 x 30 mL	Oral Solution	08489-8000-01	3716859
Caphosol® (supersaturated calcium phosphate rinse) 3600 mL	120-Dose Monthly Pack	120 x 30 mL	Oral Solution	08489-8000-04	4148359

For full prescribing information, please visit www.caphosol.com. You can also find reimbursement and educational resources at this website or by calling 1-800-833-3533. For instructions regarding claims submission and coding, contact the reimbursement support group (AccessMED) at 1-888-837-4397, EUSAPharma@accessmed.com or fax at 1-866-287-3036.

REFERENCES: 1. Sonis ST. Oral mucositis in cancer therapy. *J Support Oncol*. 2004;2(suppl 3):3-8. 2. Papas AS, Clark RE, Martuscelli G, et al. A prospective, randomized trial for the prevention of mucositis in patients undergoing hematopoietic stem cell transplantation. *Bone Marrow Transplant*. 2003;31:705-712. 3. Haas ML et al. Treatment oral mucositis by supersaturated calcium phosphate oral rinse in patients receiving chemotherapy (CT) and radiation (RT). Poster presented: 2008 Multinational Association of Supportive Care in Cancer/International Society for Oral Oncology Symposium. June 26-28, 2008; Houston, TX. *Support Care Cancer*. 2008;16:673-674. 4. Caphosol prescribing information. October 2008.



Caphosol®

supersaturated calcium phosphate rinse

Prescribing Information

Ingredients: Dibasic Sodium Phosphate 0.032, Monobasic Sodium Phosphate 0.009, Calcium Chloride 0.052, Sodium Chloride 0.569, Purified Water qs ad (9w/w)

Pharmaceutical form: Aqueous solution. Caphosol is a preparation comprising two separately packaged aqueous solutions, a phosphate solution (Caphosol A) and a calcium solution (Caphosol B) which, when both ampule solutions are combined in equal volumes, form a solution supersaturated with respect to both calcium and phosphate ions.

Actions: Caphosol is an electrolyte solution resembling human saliva, designed in part to replace the normal ionic and pH balance in the oral cavity. It is intended as a mouth rinse to moisten, lubricate and clean the oral cavity including the mucosa of the mouth, tongue and throat. Caphosol facilitates chewing and speaking; loosens tough mucus and prevents mucous membranes from sticking together.

Indications: Caphosol is indicated for dryness of the mouth or throat (hyposalivation, xerostomia), regardless of the cause and regardless of whether the conditions are temporary or permanent. Caphosol is also indicated as an adjunct to standard oral care in treating the mucositis that may be caused by radiation or high dose chemotherapy. Relief of dryness of the oral mucosa in these conditions is associated with an amelioration of pain.

Special precautions for use: Avoid eating or drinking at least 15 minutes after use. Do not use if the seal of the ampule is broken or the ampule shows sign of leakage or damage. Contains sodium (71 mg per 30mL dose). Patients restricted to a low sodium diet should consult their physician before use. Store at room temperature, do not refrigerate. **KEEP OUT OF REACH OF CHILDREN.**

Caution: Federal law restricts this device to sale by or on the order of a physician or dentist.

Interaction with other medicinal products and other forms of interaction: There are no known interactions with medicinal or other products.

How Supplied:
 30 Dose 1 Box, item code 0-8489-8000-1
 120 Dose 1 Box, item code 0-8489-8000-4
 One Dose = 2 ampules, each 15mL, mixed together.

Directions for use: (1) Mix 1 blue (Caphosol A) and 1 clear ampule (Caphosol B) in a clean glass. (2) Swish the mouth thoroughly for 1 min with 1/2 of the solution and **spit out**. (3) Repeat with the remaining 1/2 of the solution and **spit out**. Use immediately after mixing the ampules.

- **For use during high dose chemotherapy or radiation treatment:** 4 doses per day from the onset of the cancer treatment. Up to 10 doses per day if pain from mucositis is experienced. Use for the duration of the treatment or as instructed by physician.
- **Relief of dry mouth:** 2-10 times per day or as instructed by physician.

If Caphosol is swallowed accidentally, no adverse effects are anticipated.

Manufactured by Holopack GmbH, Germany for: EUSA Pharma (USA), Inc. USA Princeton, NJ 08540 mail@caphosol.com, www.caphosol.com, 1-800-833-3533

Caphosol® is a registered trademark of EUSA Pharma (USA), Inc., USA NHRIC Labeler Code 8596 US patents no. 5993785, 6387352, patents pending Date of revision: October 2008 C-0327-09